

Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Product code(s)

BAX® System Media Listeria

MED2002

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Uses advised against

Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

Revision: 2024-10-23

1.3 Details of the supplier of the safety data sheet

Qualicon Diagnostics LLC 941 Avenida Acaso Camarillo CA 93012 United States

Telephone: 1-302-695-5300 Telefax: 1-302-351-6454 e-mail: diagnostics.support@hygiena.com Website: https://www.hygiena.com e-mail (competent person)

diagnostics.support@hygiena.com

1-302-695-5300 This number is only available during the following office hours: Mon-Fri 08:00 AM - 05:00 PM

SECTION 2: Hazards identification

Emergency telephone number Emergency information service

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling

- Signal word warning
- Pictograms

GHS07



1.4



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1) Revision: 2024-10-23

- Hazard statements	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
- Precautionary state	ments
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

2.3 Other hazards

Results of PBT and vPvB assessment Does not contain a PBT-/vPvB-substance at a concentration of $\ge 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Lithium chloride	CAS No 7447-41-8	5 - < 10		
Potassium phosphate mono- basic	CAS No 7778-77-0	1-<3		
Sodium Hydroxide	CAS No 1310-73-2	1-<3		
Acriflavine	CAS No 8048-52-0	0.0001 - < 0.1		
Nalidixic acid	CAS No 389-08-2	0.0001 - < 0.1		

Remarks

For full text of abbreviations: see SECTION 16



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1) Revision: 2024-10-23

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Coun- try	Name of agent	CAS No	Identi- fier		TWA [mg/m³]				Source
AU	sodium hydroxide	1310-73-2	WES					2	WES

<u>Notation</u>

Ceiling-C	ceiling value is a limit value above which exposure should not occur
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time- weighted average (unless otherwise specified)



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1)

Relevant DNELs of	component	S				
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Lithium chloride	7447-41-8	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
Lithium chloride	7447-41-8	DNEL	30 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Lithium chloride	7447-41-8	DNEL	73.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects
Potassium phosphate monobasic	7778-77-0	DNEL	14.82 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
Sodium Hydroxide	1310-73-2	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects

Relevant PNECs of	fcomponent	S				
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental com- partment	Exposure time
Lithium chloride	7447-41-8	PNEC	10.4 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Lithium chloride	7447-41-8	PNEC	1.04 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Lithium chloride	7447-41-8	PNEC	140.2 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Lithium chloride	7447-41-8	PNEC	49.9 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Lithium chloride	7447-41-8	PNEC	4.99 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Lithium chloride	7447-41-8	PNEC	4.13 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1) Revision: 2024-10-23

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>723 K at 101,325 Pa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	0 Pa at 25 °C	

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1)

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant	
Other safety characteristics		
Liquid content	0.035 %	
Solid content	10.82 %	

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1)

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

- **12.2 Persistence and degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of \geq 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

UN RTDG	UN 1760
IMDG-Code	UN 1760
ICAO-TI	UN 1760



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1) 14.2 UN proper shipping name **UN RTDG** CORROSIVE LIQUID, N.O.S. IMDG-Code CORROSIVE LIQUID, N.O.S. ICAO-TI Corrosive liquid, n.o.s. Sodium Hydroxide, Potassium phosphate mono-Technical name (hazardous ingredients) basic 14.3 Transport hazard class(es) **UN RTDG** 8 IMDG-Code 8 ICAO-TI 8 14.4 Packing group **UN RTDG** Π IMDG-Code Π ICAO-TI Π 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations 14.6 Special precautions for user There is no additional information. 14.7 Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk. Information for each of the UN Model Regulations Transport information - National regulations - Additional information (UN RTDG) UN number 1760 Class 8 Packing group Π Danger label(s) 8 Special provisions (SP) 274 (UN RTDG) Excepted quantities (EQ) E2 (UN RTDG) Limited quantities (LQ) 1 L (UN RTDG) **Emergency Action Code** 2X International Maritime Dangerous Goods Code (IMDG) - Additional information

- Marine pollutant
- Danger label(s)

8



Safe Work Australia - Code of Practice

BAX® System Media Listeria

 Version number: 2.0
Replaces version of: 2022-02-01 (1 1)
 Revision: 2024-10-23

 Special provisions (SP)
 274

 Excepted quantities (EQ)
 E2

 Limited quantities (LQ)
 1 L

EmS	F-A, S-B	
Stowage category	В	
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		

Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations (Australia)

Australian Inventory of Chemical Substances (AICS)

All ingredients are listed or exempt from listing.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed



Safety Data Sheet Safe Work Australia - Code of Practice

BAX® System Media Listeria

Version number: 2.0 Replaces version of: 2022-02-01 (1 1) Revision: 2024-10-23

<u>Legend</u>	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
STEL	Short-term exposure limit
TWA	Time-weighted average



Safe Work Australia - Code of Practice

BAX® System Media Listeria

Revision: 2024-10-23

Version number: 2.0 Replaces version of: 2022-02-01 (1 1)

Abbr.	Descriptions of used abbreviations
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations). UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.