

Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name UltraSnap
Product code(s) US2020

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Hygiena International 8 Woodshots Meadow Herts Croxley Park United Kingdom

Telephone: +44 (0) 1923 818821 Telefax: +44 (0)1923 818825

e-mail: customerserviceuk@hygiena.com

Website: www.Hygiena.com

1.4 Emergency telephone number

Emergency information service

+44 (0) 1923 818821

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling not required

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

Australia: en Page: 1 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Pyrogen Free Water	CAS No 7732-18-5	75 - < 90		
D-Sorbitol	CAS No 50-70-4	10-<25		
Magnesium Acetate Tetrahy- drate	CAS No 16674-78-5	0.1 - < 1		
Potassium hydroxide	CAS No 1310-58-3	0.0001 - < 0.1	Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318	
Benzethonium chloride	CAS No 121-54-0	0.0001 - < 0.1	Acute Tox. 3 / H301 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
sodium azide	CAS No 26628-22-8	0.0001 - < 0.1	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 1 / H370 STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 4 / H413	
Ethylenediaminetetraacetic acid dipotassium salt di- hydrate	CAS No 25102-12-9	0.0001 - < 0.1		
DL-Dithiothreitol	CAS No 3483-12-3	0.0001 - < 0.1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335	(1)
Bovine Serum Albumin	CAS No 9048-46-8	0.0001 - < 0.1		
Tris	CAS No 77-86-1	0.0001 - < 0.1		
Luciferase, Custom		0.0001 - < 0.1		
Beetle Luciferin, Potassium		0.0001 - < 0.1		

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Australia: en Page: 2 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Australia: en Page: 3 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Ceiling-C [mg/m³]	Nota- tion	Source
AU	potassium hydrox- ide	1310-58-3	WES						2		WES
AU	sodium azide	26628-22-8	WES					0.11	0.3		WES

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified)

Relevant DNELs of components

Name of substance	CAS No	Endpoint		Protection goal, route of exposure	Used in	Exposure time
Potassium hydroxide	1310-58-3	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
sodium azide	26628-22-8	DNEL	0.164 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef-

Australia: en Page: 4 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
						fects
sodium azide	26628-22-8	DNEL	46.7 μg/kg	human, dermal	worker (industry)	chronic - systemic ef- fects
Tris	77-86-1	DNEL	117.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
Tris	77-86-1	DNEL	166.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects

Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
sodium azide	26628-22-8	PNEC	0.35 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
sodium azide	26628-22-8	PNEC	30 ^{µg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
sodium azide	26628-22-8	PNEC	16.7 ^{µg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
sodium azide	26628-22-8	PNEC	0.72 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Tris	77-86-1	PNEC	300 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Australia: en Page: 5 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value) thi	his information is not available
---	----------------------------------

Vapour pressure	<0.1 hPa at 25 °C
-----------------	-------------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not

Australia: en Page: 6 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

	relevant
Other safety characteristics	
Liquid content	80.25 %
Solid content	20.31 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Potassium hydroxide	1310-58-3	oral	333 ^{mg} / _{kg}
Benzethonium chloride	121-54-0	oral	295 ^{mg} / _{kg}
sodium azide	26628-22-8	oral	>5 ^{mg} / _{kg}
sodium azide	26628-22-8	dermal	5 ^{mg} / _{kg}
sodium azide	26628-22-8	inhalation: dust/mist	>0.054 ^{mg} / _l /4h
DL-Dithiothreitol	3483-12-3	oral	500 ^{mg} / _{kg}

Australia: en Page: 7 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Australia: en Page: 8 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

<u>Information for each of the UN Model Regulations</u>

Transport information - National regulations - Additional information (UN RTDG)

Not subject to transport regulations: UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes

Australia: en Page: 9 / 12



Safety Data Sheet Safe Work Australia - Code of Practice

Revision: 2024-12-04

UltraSnap

Version number: 2.1 Replaces version of: 2020-12-15 (2 0)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
3.2		Remarks: For full text of abbreviations: see SECTION 16	yes
8.1	Control parameters: This information is not available.	Control parameters	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs of components: change in the listing (table)	yes
8.1		Relevant PNECs of components: change in the listing (table)	yes
9.1	Appearance		yes
9.1	Colour: various	Colour: not determined	yes
9.1	Other safety parameters		yes
9.1	Flammability (solid, gas): not relevant, (fluid)	Flammability: this material is combustible, but will not ignite read- ily	yes
9.1	Evaporation rate: not determined		yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: not determined	yes
9.1		Density and/or relative density	yes
9.1	Vapour density: this information is not available		yes
9.1	Viscosity: not determined		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1		Particle characteristics: not relevant (liquid)	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2		Other safety characteristics	yes
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)	yes
11.2		Information on other hazards: There is no additional information.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes

Australia: en Page: 10 / 12



Safety Data Sheet Safe Work Australia - Code of Practice

UltraSnap

Revision: 2024-12-04

Version number: 2.1 Replaces version of: 2020-12-15 (2 0)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
12.6	Endocrine disrupting potential: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.2	UN proper shipping name: not assigned	UN proper shipping name: not relevant	yes
14.3	Transport hazard class(es): not assigned	Transport hazard class(es): none	yes
14.7	Transport information - National regulations - Additional information (UN RTDG): not assigned	Transport information - National regulations - Additional information (UN RTDG): Not subject to transport regulations: UN RTDG	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

Australia: en Page: 11 / 12



Safe Work Australia - Code of Practice

UltraSnap

Version number: 2.1 Revision: 2024-12-04 Replaces version of: 2020-12-15 (2 0)

Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia: en Page: 12 / 12